

型号说明

应用行业


- 平台秤
- 平台秤带打印
- 吊钩秤
- 地磅
- 托盘秤

通用规格

			0.0000 0.0000	0.0000 0.0000
			0.0000	0.0000
		0.0000	0.0000 0.0000 0.0000 0.0000	
		0.0000	0.0000 0.0000 ± % 0.0000	
			0.0000	
			% 0.0000 0.0000 0.0000 0.0000	% 0.0000 0.0000 0.0000 0.0000
			% 0.0000 0.0000 0.0000	
			± % 0.0000 0.0000	
			± % ± 0.0000	
			0.0000 0.0000	0.0000 0.0000
			0.0000	0.0000
			0.0000 0.0000	
			0.0000 0.0000	
			0.0000 0.0000 0.0000 0.0000	
			0.0000 0.0000 0.0000 0.0000	
			0.0000 0.0000 0.0000 0.0000	
			0.0000 0.0000	
			()	
			0.0000 0.0000 0.0000 0.0000	
			0.0000 0.0000	
			0.0000 0.0000	
			0.0000 0.0000	
			% 0.0000	
			0.0000 0.0000	
			0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	




端子接线图



外形尺寸

		外形尺寸						
		尺寸	单位	范围	精度	备注	公差	
1	总高度	H	mm	100	±0.1			
2	显示区高度	H1	mm	30	±0.1			
3	显示区宽度	B	mm	100	±0.1			
4	显示区深度	B1	mm	10	±0.1			
5	按键区高度	H2	mm	40	±0.1			
6	按键区宽度	B	mm	100	±0.1			
7	按键区深度	B1	mm	10	±0.1			
8	总宽度	B	mm	100	±0.1			
9	总深度	B1	mm	10	±0.1			
10	显示区中心距	H3	mm	15	±0.1			
11	按键区中心距	H4	mm	25	±0.1			
12	显示区与按键区间距	H5	mm	5	±0.1			
13	显示区左间距	A	mm	5	±0.1			
14	显示区右间距	A	mm	5	±0.1			
15	显示区下间距	A	mm	5	±0.1			
16	显示区上间距	A	mm	5	±0.1			
17	显示区左间距	A	mm	5	±0.1			
18	显示区右间距	A	mm	5	±0.1			
19	显示区下间距	A	mm	5	±0.1			
20	显示区上间距	A	mm	5	±0.1			
21	显示区左间距	A	mm	5	±0.1			
22	显示区右间距	A	mm	5	±0.1			
23	显示区下间距	A	mm	5	±0.1			
24	显示区上间距	A	mm	5	±0.1			
25	显示区左间距	A	mm	5	±0.1			
26	显示区右间距	A	mm	5	±0.1			
27	显示区下间距	A	mm	5	±0.1			
28	显示区上间距	A	mm	5	±0.1			
29	显示区左间距	A	mm	5	±0.1			
30	显示区右间距	A	mm	5	±0.1			
31	显示区下间距	A	mm	5	±0.1			
32	显示区上间距	A	mm	5	±0.1			
33	显示区左间距	A	mm	5	±0.1			
34	显示区右间距	A	mm	5	±0.1			
35	显示区下间距	A	mm	5	±0.1			
36	显示区上间距	A	mm	5	±0.1			
37	显示区左间距	A	mm	5	±0.1			
38	显示区右间距	A	mm	5	±0.1			
39	显示区下间距	A	mm	5	±0.1			
40	显示区上间距	A	mm	5	±0.1			
41	显示区左间距	A	mm	5	±0.1			
42	显示区右间距	A	mm	5	±0.1			
43	显示区下间距	A	mm	5	±0.1			
44	显示区上间距	A	mm	5	±0.1			
45	显示区左间距	A	mm	5	±0.1			
46	显示区右间距	A	mm	5	±0.1			
47	显示区下间距	A	mm	5	±0.1			
48	显示区上间距	A	mm	5	±0.1			
49	显示区左间距	A	mm	5	±0.1			
50	显示区右间距	A	mm	5	±0.1			
51	显示区下间距	A	mm	5	±0.1			
52	显示区上间距	A	mm	5	±0.1			
53	显示区左间距	A	mm	5	±0.1			
54	显示区右间距	A	mm	5	±0.1			
55	显示区下间距	A	mm	5	±0.1			
56	显示区上间距	A	mm	5	±0.1			
57	显示区左间距	A	mm	5	±0.1			
58	显示区右间距	A	mm	5	±0.1			
59	显示区下间距	A	mm	5	±0.1			
60	显示区上间距	A	mm	5	±0.1			
61	显示区左间距	A	mm	5	±0.1			
62	显示区右间距	A	mm	5	±0.1			
63	显示区下间距	A	mm	5	±0.1			
64	显示区上间距	A	mm	5	±0.1			
65	显示区左间距	A	mm	5	±0.1			
66	显示区右间距	A	mm	5	±0.1			
67	显示区下间距	A	mm	5	±0.1			
68	显示区上间距	A	mm	5	±0.1			
69	显示区左间距	A	mm	5	±0.1			
70	显示区右间距	A	mm	5	±0.1			
71	显示区下间距	A	mm	5	±0.1			
72	显示区上间距	A	mm	5	±0.1			
73	显示区左间距	A	mm	5	±0.1			
74	显示区右间距	A	mm	5	±0.1			
75	显示区下间距	A	mm	5	±0.1			
76	显示区上间距	A	mm	5	±0.1			
77	显示区左间距	A	mm	5	±0.1			
78	显示区右间距	A	mm	5	±0.1			
79	显示区下间距	A	mm	5	±0.1			
80	显示区上间距	A	mm	5	±0.1			
81	显示区左间距	A	mm	5	±0.1			
82	显示区右间距	A	mm	5	±0.1			
83	显示区下间距	A	mm	5	±0.1			
84	显示区上间距	A	mm	5	±0.1			
85	显示区左间距	A	mm	5	±0.1			
86	显示区右间距	A	mm	5	±0.1			
87	显示区下间距	A	mm	5	±0.1			
88	显示区上间距	A	mm	5	±0.1			
89	显示区左间距	A	mm	5	±0.1			
90	显示区右间距	A	mm	5	±0.1			
91	显示区下间距	A	mm	5	±0.1			
92	显示区上间距	A	mm	5	±0.1			
93	显示区左间距	A	mm	5	±0.1			
94	显示区右间距	A	mm	5	±0.1			
95	显示区下间距	A	mm	5	±0.1			
96	显示区上间距	A	mm	5	±0.1			
97	显示区左间距	A	mm	5	±0.1			
98	显示区右间距	A	mm	5	±0.1			
99	显示区下间距	A	mm	5	±0.1			
100	显示区上间距	A	mm	5	±0.1			



操作方法1

